



# SAFETY DATA SHEET

Revision Date 12-Mar-2015

Version 1

## 1. IDENTIFICATION

### Product identifier

**Product Name** DUCO CEMENT

### Other means of identification

**Product Code** 62435  
**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended Use** Adhesives/Glues  
**Uses advised against** No information available

### Details of the supplier of the safety data sheet

| <u>Manufacturer Address</u>                                 | <u>Distributor</u>  |
|---|---|
| ITW Permatex<br>10 Columbus Blvd.<br>Hartford, CT 06106 USA | ITW Permatex Canada<br>35 Brownridge Road, Unit 1<br>Halton Hills, ON Canada L7G 0C6<br>Telephone: (800) 924-6994 |

**Company Phone Number** 1-87-Permatex  
(877) 376-2839  
**24 Hour Emergency Phone Number** Chem-Tel: 800-255-3924  
International Emergency:  
00+1+ 813-248-0585  
Contract Number: MIS0003453

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|  |            |
|--|------------|
| Serious eye damage/eye irritation                | Category 2 |
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable liquids                                | Category 2 |

### Label elements

#### Emergency Overview

#### Danger

Causes serious eye irritation  
May cause drowsiness or dizziness  
Highly flammable liquid and vapor

Duco Cement  
703010



**Appearance** Clear

**Physical state** Liquid

**Odor** Solvent

**Precautionary Statements - Prevention**

- Use personal protective equipment as required
- Wash face, hands and any exposed skin thoroughly after handling
- Wear eye/face protection
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Keep cool

**Precautionary Statements - Response**

- IF exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- In case of fire: Use CO2, dry chemical, or foam for extinction

**Precautionary Statements - Storage**

- Store in a well-ventilated place. Keep cool
- Do not expose to temperatures exceeding 122 °F (50 °C)

**Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

Carcinogenic effects: Not applicable

Unknown acute toxicity                      4% of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance**

| Chemical Name                | CAS No    | Weight-% | Trade Secret |
|------------------------------|-----------|----------|--------------|
| ACETONE                      | 67-64-1   | 60 - 100 | *            |
| CELLULOSE NITRATE            | 9004-70-0 | 10 - 30  | *            |
| 2-PROPANOL                   | 67-63-0   | 3 - 7    | *            |
| CAMPHOR                      | 76-22-2   | 1 - 5    | *            |
| 1-METHOXY-2-PROPANOL ACETATE | 108-65-6  | 1 - 5    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### Description of first aid measures

|   |   |
|---|---|
| <b>General advice</b>                     | Get medical advice/attention if you feel unwell.  |
| <b>Eye contact</b>                        | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  |
| <b>Skin contact</b>                       | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse. |
| <b>Inhalation</b>                         | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.   |
| <b>Ingestion</b>                          | IF SWALLOWED. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.  |
| <b>Self-protection of the first aider</b> | Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.   |

##### Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam

##### Unsuitable extinguishing media

None.

##### Specific hazards arising from the chemical

Highly flammable. Vapors may travel to source of ignition and flash back.

##### Explosion data

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.

##### Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information. Do not flush into surface water or sanitary sewer system.

##### Methods and material for containment and cleaning up

|  |   |
|--|---|
| <b>Methods for containment</b>         | Prevent further leakage or spillage if safe to do so.   |
| <b>Methods for cleaning up</b>         | Eliminate all ignition sources if safe to do so. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. |
| <b>Prevention of secondary hazards</b> | Clean contaminated objects and areas thoroughly observing environmental regulations.  |

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).

**Incompatible materials** Strong acids, Bases, Acids, Amines

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

| Chemical Name         | ACGIH TLV                                     | OSHA PEL   | NIOSH IDLH  |
|-----------------------|---|--|---|
| ACETONE<br>67-64-1    | STEL: 750 ppm<br>TWA: 500 ppm                 | TWA: 1000 ppm<br>TWA: 2400 mg/m <sup>3</sup><br>(vacated) TWA: 750 ppm<br>(vacated) TWA: 1800 mg/m <sup>3</sup><br>(vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors<br>(vacated) STEL: 1000 ppm | IDLH: 2500 ppm<br>TWA: 250 ppm<br>TWA: 590 mg/m <sup>3</sup>  |
| 2-PROPANOL<br>67-63-0 | STEL: 400 ppm<br>TWA: 200 ppm                 | TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>(vacated) TWA: 400 ppm<br>(vacated) TWA: 980 mg/m <sup>3</sup><br>(vacated) STEL: 500 ppm<br>(vacated) STEL: 1225 mg/m <sup>3</sup>  | IDLH: 2000 ppm<br>TWA: 400 ppm<br>TWA: 980 mg/m <sup>3</sup><br>STEL: 500 ppm<br>STEL: 1225 mg/m <sup>3</sup> |
| CAMPHOR<br>76-22-2    | STEL: 3 ppm synthetic<br>TWA: 2 ppm synthetic | TWA: 2 mg/m <sup>3</sup><br>(vacated) TWA: 2 mg/m <sup>3</sup>   | IDLH: 200 mg/m <sup>3</sup><br>TWA: 2 mg/m <sup>3</sup> synthetic   |

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

**Respiratory protection** Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

|                       |                          |
|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid                   |
| <b>Appearance</b>     | Clear                    |
| <b>Odor</b>           | Solvent                  |
| <b>Odor threshold</b> | No information available |

| <u>Property</u>                | <u>Values</u>            | <u>Remarks • Method</u> |
|--------------------------------|--------------------------|-------------------------|
| pH                             | No information available |                         |
| Melting point / freezing point | No information available |                         |
| Boiling point / boiling range  | 55 °C / 131 °F           |                         |
| Flash point                    | -20 °C / -4 °F           |                         |
| Evaporation rate               | < 1                      | Ether = 1               |
| Flammability (solid, gas)      | No information available |                         |
| Flammability Limit in Air      |                          |                         |
| Upper flammability limit:      | 13.1%                    |                         |
| Lower flammability limit:      | 0.6%                     |                         |
| Vapor pressure                 | 185 @ 68°F               |                         |
| Vapor density                  | >1                       | Air = 1                 |
| Relative density               | 0.87                     |                         |
| Water solubility               | Negligible               |                         |
| Solubility in other solvents   | No information available |                         |
| Partition coefficient          | No information available |                         |
| Autoignition temperature       | No information available |                         |
| Decomposition temperature      | No information available |                         |
| Kinematic viscosity            | No information available |                         |
| Dynamic viscosity              | No information available |                         |
| Explosive properties           | No information available |                         |
| Oxidizing properties           | No information available |                         |

### Other Information

|                         |                          |
|-------------------------|--------------------------|
| <b>Softening point</b>  | No information available |
| <b>Molecular weight</b> | No information available |
| <b>VOC Content (%)</b>  | 8.5%                     |
| <b>Density</b>          | No information available |
| <b>Bulk density</b>     | No information available |

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Heat, flames and sparks.

**Incompatible materials**

Strong acids, Bases, Acids, Amines

**Hazardous Decomposition Products**

Carbon oxides, Nitrogen oxides (NOx)

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | May cause irritation of respiratory tract. May cause drowsiness or dizziness.      |
| <b>Eye contact</b>  | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. |
| <b>Skin contact</b> | May cause skin irritation and/or dermatitis.                                       |
| <b>Ingestion</b>    | Ingestion may cause irritation to mucous membranes.                                |

| Chemical Name                               | Oral LD50            | Dermal LD50             | Inhalation LC50                       |
|---|----------------------|-------------------------|---------------------------------------|
| ACETONE<br>67-64-1                          | = 5800 mg/kg ( Rat ) | -                       | = 50100 mg/m <sup>3</sup> ( Rat ) 8 h |
| CELLULOSE NITRATE<br>9004-70-0              | > 5 g/kg ( Rat )     | -                       | -                                     |
| 2-PROPANOL<br>67-63-0                       | = 1870 mg/kg ( Rat ) | = 4059 mg/kg ( Rabbit ) | = 72600 mg/m <sup>3</sup> ( Rat ) 4 h |
| 1-METHOXY-2-PROPANOL<br>ACETATE<br>108-65-6 | = 8532 mg/kg ( Rat ) | > 5 g/kg ( Rabbit )     | -                                     |

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name                  | ACGIH | IARC     | NTP | OSHA |
|--------------------------------|-------|----------|-----|------|
| CELLULOSE NITRATE<br>9004-70-0 | -     | Group 2A | -   | X    |
| 2-PROPANOL<br>67-63-0          | -     | Group 1  | -   | X    |

*IARC (International Agency for Research on Cancer)*

*Group 1 - Carcinogenic to Humans*

*Group 2A - Probably Carcinogenic to Humans*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

**Target Organ Effects** Central nervous system, Eyes, Respiratory system, Skin.

**Numerical measures of toxicity - Product Information**

The following values are calculated based on chapter 3.1 of the GHS document .

|                               |             |
|-------------------------------|-------------|
| ATEmix (oral)                 | 5358 mg/kg  |
| ATEmix (dermal)               | 61296 mg/kg |
| ATEmix (inhalation-dust/mist) | 123.9 mg/l  |

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

19% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---------------|----------------------|------|-----------|
|---------------|----------------------|------|-----------|

|  |   |  |  |
|--|---|--|--|
| ACETONE<br>67-64-1                       | -   | 4.74 - 6.33: 96 h Oncorhynchus mykiss mL/L LC50 6210 - 8120: 96 h Pimephales promelas mg/L LC50 static 8300: 96 h Lepomis macrochirus mg/L LC50    | 10294 - 17704: 48 h Daphnia magna mg/L EC50 Static 12600 - 12700: 48 h Daphnia magna mg/L EC50 |
| 2-PROPANOL<br>67-63-0                    | 1000: 96 h Desmodemus subspicatus mg/L EC50 1000: 72 h Desmodemus subspicatus mg/L EC50 | 11130: 96 h Pimephales promelas mg/L LC50 static 9640: 96 h Pimephales promelas mg/L LC50 flow-through 1400000: 96 h Lepomis macrochirus µg/L LC50 | 13299: 48 h Daphnia magna mg/L EC50  |
| 1-METHOXY-2-PROPANOL ACETATE<br>108-65-6 | -   | 161: 96 h Pimephales promelas mg/L LC50 static   | 500: 48 h Daphnia magna mg/L EC50  |

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Mobility**

No information available.

| Chemical Name                            | Partition coefficient |
|--|-----------------------|
| ACETONE<br>67-64-1                       | -0.24                 |
| 2-PROPANOL<br>67-63-0                    | 0.05                  |
| 1-METHOXY-2-PROPANOL ACETATE<br>108-65-6 | 0.43                  |

**Other adverse effects**

No information available

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes**

This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

**Contaminated packaging**

Do not reuse container.

**US EPA Waste Number**

D001

| Chemical Name      | RCRA | RCRA - Basis for Listing          | RCRA - D Series Wastes | RCRA - U Series Wastes |
|--------------------|------|-----------------------------------|------------------------|------------------------|
| ACETONE<br>67-64-1 | -    | Included in waste stream:<br>F039 | -                      | U002                   |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name                  | California Hazardous Waste Status |
|--------------------------------|-----------------------------------|
| ACETONE<br>67-64-1             | Ignitable                         |
| CELLULOSE NITRATE<br>9004-70-0 | Ignitable<br>Reactive             |
| 2-PROPANOL<br>67-63-0          | Toxic<br>Ignitable                |

**14. TRANSPORT INFORMATION**

DOT

**UN/ID no** UN 1133  
**Proper shipping name:** Adhesives, Limited Quantity (LQ)  
**Hazard Class** 3  
**Packing Group** II  
**Emergency Response Guide Number** 128

**IATA**

**UN/ID no** ID 8000  
**Proper shipping name:** Consumer commodity  
**Hazard Class** 9  
**ERG Code** 9L

**IMDG**

**UN/ID no** UN 1133  
**Proper shipping name:** Adhesives, Limited Quantity (LQ)  
**Hazard Class** 3  
**Packing Group** II  
**EmS-No** F-E, S-D

|                                   |
|-----------------------------------|
| <b>15. REGULATORY INFORMATION</b> |
|-----------------------------------|

**International Inventories**

|                      |                 |
|----------------------|-----------------|
| <b>TSCA</b>          | Complies        |
| <b>DSL/NDSL</b>      | Complies        |
| <b>EINECS/ELINCS</b> | Does not comply |
| <b>ENCS</b>          | Complies        |
| <b>IECSC</b>         | Complies        |
| <b>KECL</b>          | Complies        |
| <b>PICCS</b>         | Complies        |
| <b>AICS</b>          | Complies        |

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name        | SARA 313 - Threshold Values % |
|----------------------|-------------------------------|
| 2-PROPANOL - 67-63-0 | 1.0                           |

**SARA 311/312 Hazard Categories**

|  |     |
|--|-----|
| <b>Acute health hazard</b>               | Yes |
| <b>Chronic Health Hazard</b>             | No  |
| <b>Fire hazard</b>                       | Yes |
| <b>Sudden release of pressure hazard</b> | No  |
| <b>Reactive Hazard</b>                   | No  |

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name      | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                   |
|--------------------|--------------------------|----------------|--|
| ACETONE<br>67-64-1 | 5000 lb                  | -              | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

| Chemical Name                  | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| ACETONE<br>67-64-1             | X          | X             | X            |
| CELLULOSE NITRATE<br>9004-70-0 | X          | X             | X            |
| 2-PROPANOL<br>67-63-0          | X          | X             | X            |
| CAMPHOR<br>76-22-2             | X          | X             | X            |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

|             |                  |                |                    |                       |
|-------------|------------------|----------------|--------------------|-----------------------|
| <b>NFPA</b> | Health hazards 2 | Flammability 3 | Instability 0      | -                     |
| <b>HMIS</b> | Health hazards 2 | Flammability 3 | Physical hazards 0 | Personal protection B |

NFPA (National Fire Protection Association)  
HMIS (Hazardous Material Information System)

Revision Date 12-Mar-2015

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet